



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Gary L. Nelsestuen

Art Unit: 1656

Serial No.: 10/031,005

Examiner: Holly G. Schnizer

Filed

: October 29, 2001

Conf. No.: 3846

Title

: MODIFIED VITAMIN K-DEPENDENT POLYPEPTIDES

MAIL STOP AMENDMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Applicant requests consideration of the references listed on the attached PTO-1449 form. Under 37 C.F.R. § 1.98 (a)(2)(ii), only copies of foreign patent documents and/or non-patent literature are enclosed. Copies of any listed U.S. patents or U.S. patent application publications can be provided upon request.

This statement is being filed before the receipt of a first Office Action on the merits. Please apply any charges or credits to Deposit Account No. 06-1050.

Respectfully submitted,

Reg. No. 53,103

Fish & Richardson P.C. 60 South Sixth Street **Suite 3300**

Minneapolis, MN 55402 Telephone: (612) 335-5070

Facsimile: (612) 288-9696

60375696

CERTIFICATE OF MAILING BY EXPRESS MAIL

Express Mail Label No. <u>EV710203979US</u>

August 18, 2006

Date of Deposit

Substitute Form PTO-1449 (Medified)

U.S. Department of Commerce Patent and Trademark Office Attorney's Docket No. 09531-016002

Application No. 10/031,005

Information Disclosure Statement
by Applicant
(Use several sheets if necessary)

Applicant
Gary L. Nelsestuen

Filing Date

Group Art Unit

37 CFR 24 98(b))

October 29, 2001

1656

| MATRAGE | | | U.S. Pate | nt Documents | | | |
|------------------|--------------|--------------------|---------------------|-------------------|-------|----------|----------------------------|
| Examiner Initial | Desig. ID | Document Number | Publication Date | Patentee | Class | Subclass | Filing Date If Appropriate |
| | AA | 4,784,950 | 11/15/1988 | Hagen et al. | | | |
| | AB | 4,904,584 | 2/27/1990 | Shaw | | | |
| | AC | 5,041,376 | 8/20/1991 | Gething et al. | | | |
| | AD | 5,180,583 | 1/19/1993 | Hedner | | | , |
| | AE | 5,225,537 | 7/6/1993 | Foster | | | |
| | AF | 5,460,950 | 10/24/1995 | Barr et al. | | | |
| | AG | 5,648,254 | 7/15/1997 | Mulvihill et al. | | | |
| | AH | 5,891,843 | 4/6/1999 | Turecek et al. | | | |
| | AI | 5,965,425 | 10/12/1999 | Barr et al. | | | |
| | AJ | 5,986,079 | 11/16/1999 | Barr et al. | | | |
| | AK | 6,013,620 | 1/11/2000 | Turecek et al. | | | |
| | AL | 6,100,061 | 8/8/2000 | Reiter et al. | | , | |
| | AM | 6,423,826 | 7/23/2002 | Nelsestuen et al. | | | |
| | AN | 6,475,725 | 11/5/2002 | Reiter et al. | | | |
| | AO | 6,693,075 | 2/17/2004 | Nelsestuen | | | |
| | AP | 6,747,003 | 6/8/2004 | Nelsestuen | | | |
| | AQ | 6,762,286 | 7/13/2004 | Nelsestuen | | | |
| | AR | 6,903,069 | 6/7/2005 | Pingel et al. | | | |
| | AS | 2003/0100506 | 11/18/2002 | Nelsestuen | | | |
| | AT | 2003/0100740 | 11/15/2002 | Persson et al. | | _ | |
| | AU | 2003/0104978 | 9/13/2001 | Persson et al. | | | |
| | AV | 2003/0211094 | 12/30/2002 | Nelsestuen | | | |
| | AW | 2003/0211460 | 12/30/2002 | Nelsestuen | | | |

| Foreign Patent Documents or Published Foreign Patent Applications | | | | | | | |
|--|--------|--|--------------------------|------------------------|------|--------------------|----------------|
| Examiner Desig. Document Publication Country or Class Subclass Translation | | | | | | | |
| Examiner Sign | nature | | | Date Considered | | | |
| EXAMINER: next commun | | | e through citation if no | t in conformance and n | | | |
| | | | | - | Subs | stitute Disclosure | Form (PTO-144) |

Substitute Form PTO-1449 U.S. Department of Commerce Attorney's Docket No. Application No. (Modified) Patent and Trademark Office 09531-016002 10/031,005 Applicant Information Disclosure Statement by Applicant Gary L. Nelsestuen (Use several sheets if necessary) Filing Date **Group Art Unit** October 29, 2001 1656

| MENT & TRACE | Γ | | <u> </u> | | Yes | No |
|--------------|-----|----------------|------------|------|-----|----|
| | AX | WO 91/11514 | 8/8/1991 | WIPO | | |
| | AY | WO 92/15686 | 9/17/1992 | WIPO | | |
| | AZ | WO 94/27631 | 12/8/1994 | WIPO | | |
| | AAA | WO 96/00577 | 1/11/1996 | WIPO | | |
| | ABB | WO 98/32466 | 7/30/1998 | WIPO | | |
| | ACC | WO 98/35026 | 8/13/1998 | WIPO | | |
| | ADD | WO 99/03498 | 1/28/1999 | WIPO | | |
| | AEE | WO 99/03887 | 1/28/1999 | WIPO | | |
| | AFF | WO 99/66031 | 12/23/1999 | WIPO | | |
| | AGG | WO 00/26230 | 5/11/2000 | WIPO | | |
| | АНН | WO 00/26354 | 5/11/2000 | WIPO | | |
| - | AII | WO 00/28065 | 5/18/2000 | WIPO | | |
| ~ . | AJJ | WO 00/54787 | 9/21/2000 | WIPO | | |
| | AKK | WO 00/66753 | 11/9/2000 | WIPO | | |
| | ALL | WO 01/83725 | 11/8/2001 | WIPO | | |
| | AMM | WO 02/02764 | 1/10/2002 | WIPO | | |
| | ANN | WO 02/03075 | 1/10/2002 | WIPO | | |
| | A00 | WO 02/077218 | 10/3/2002 | WIPO | | |
| | APP | WO 02/22776 | 3/21/2002 | WIPO | | |
| | AQQ | WO 02/29025 | 4/11/2002 | WIPO | | |
| | ARR | WO 02/38162 | 5/16/2002 | WIPO | | |
| | ASS | WO 03/027147 | 4/3/2003 | WIPO | | |
| | ATT | WO 03/037932 | 5/8/2003 | WIPO | | |
| | AUU | WO 03/055512 | 7/10/2003 | WIPO | | |
| | AVV | WO 03/093465 | 11/13/2003 | WIPO | | |
| | AWW | WO 2004/029091 | 4/8/2004 | WIPO | | |
| | AXX | WO 2004/083361 | 9/30/2004 | WIPO | | |
| | AYY | EP 0 370 205 | 5/30/1990 | EPO | | |
| | AZZ | EP 0 512 011 | 11/11/1992 | EPO | | |

Examiner Signature

Date Considered

EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Substitute Form PTO-1449 Patent and Trade

Information Disclosure Statement

by Applicant

(Use several

U.S. Department of Commerce Patent and Trademark Office Attorney's Docket No. 09531-016002

Application No. 10/031,005

Applicant

Gary L. Nelsestuen

Filing Date

Group Art Unit

October 29, 2001

1656

| | | ocuments (include Author, Title, Date, and Place of Publication) |
|----------|--------|--|
| Examiner | Desig. | |
| Initial | ID | Document |
| | | Bharadwaj et al., "Factor VII central. A novel mutation in the catalytic domain that reduces tissue |
| | AAAA | factor binding, impairs activation by factor Xa, and abolishes amidolytic and coagulant activity," J. Biol. Chem., 1996, 271:30685-30691 |
| | ABBB | Bjoern et al., "Human plasma and recombinant factor VII. Characterization of O-glycosylations at serine residues 52 and 60 and effects of site-directed mutagenesis of serine 52 to alanine," J. Biol. Chem. 1991, 266(17):11051-11057 |
| | ACCC | Chang et al., "Engineered recombinant factor VII Q217 variants with altered inhibitor specificities," Biochemistry 1999, 38:10940-10948 |
| | ADDD | Chang et al., "Replacing the first epidermal growth factor-like domain of factor IX with that of factor VII enhances activity in vitro and in canine hemophilia B," J. Clin. Invest. 1997, 100(4), 886-892 |
| | AEEE | Cheung et al., "Localization of a metal-dependent epitope to the amino terminal residues 33-40 of human factor IX," Thrombosis Res. 1995, 80(5): 419-427 |
| | AFFF | EMBL Accession No. AF465270 (2/2/2003) |
| | AGGG | UNIPROT Accession No. P22457 (8/1/1991) |
| | АННН | Dickinson et al., "Influence of cofactor binding and active site occupancy on the conformation of the macromolecular substrate exosite of factor VIIa," J. Mol. Biol. 1998, 277:959-971 |
| | AIII | Dickinson et al., "Identification of surface residues mediating tissue factor binding and catalytic function of the serine protease factor VIIa," Proc. Natl. Acad. Sci. 1996, 93:14379-14384 |
| | AJJJ | Hedner et al., "NovoSeven as a universal haemostatic agent," Blood Coagulation & Fibrinolysis 2000:11:107-111 |
| | AKKK | Higashi et al., "Molecular mechanism of tissue factor-mediated acceleration of factor VIIa activity," J. Biol. Chem. 1996, 271(43):26569-26574 |
| | | Huang et al., "Substrate Recognition by Tissue Factor-Factor VIIa. Evidence for interaction of |
| | ALLL | residues Lys165 and Lys166 of tissue factor with the 4-carboxyglutamate-rich domain of factor X" J. Biol. Chem. 1996, 271(36):21752-21757 |
| | AMMM | Iino et al., "Functional consequences of mutations in Ser-52 and Ser-60 in human blood coagulation factor VII," Archives of Biochemistry and Biophysics 1998, 352(2):182-192 |
| | ANNN | Iakhiaev et al., "The Role of Catalytic Cleft & Exosite Residues of Factor VIIa for Complex Formation with Tissue Factor Pathway Inhibitor" Thromobsis & Haemostasis 2001, 85:458-463 |
| | A000 | Jin et al., "Factor VIIa's first epidermal growth factor-like domain's role in catalytic activity," Biochemistry 1999, 38:1185-1192 |
| | APPP | Jin et al., "Four loops of the catalytic domain of factor viia mediate the effect of the first EGF-like domain substitution on factor viia catalytic activity," J. Mol. Biol. 2001, 307:1503-1517 |
| | AQQQ | Kelly et al., "Ca ²⁺ binding to the first epidermal growth factor module of coagulation factor VIIa is important for cofactor interaction and proteolytic function," J. Biol. Chem. 1997, 272(28):17467-17472 |
| | ARRR | Kemball-Cook et al., "Coagulation Factor VII Gln ¹⁰⁰ Arg. Amino acid substitution at the epidermal growth factor 2-protease domain interface results in severely reduced tissue factor binding and procoagulant function," J. Biol. Chem. 1998, 273(14):8516-8521 |

Date Considered Examiner Signature EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| Substitute Form PTO-1449 (Modified) | U.S. Department of Commerce Patent and Trademark Office | Attorney's Docket No. 09531-016002 | Application No. 10/031,005 | |
|---|--|------------------------------------|----------------------------|--|
| | | Applicant Gary L. Nelsestuen | | |
| [] 8 2006 (Use several shee (37 CFR §1206(b)) | ** | Filing Date October 29, 2001 | Group Art Unit 1656 | |

| TRADEMART | Other Documents (include Author, Title, Date, and Place of Publication) | | | | |
|-----------|---|---|--|--|--|
| Examine | Desig. | | | | |
| Initial | ID | Document | | | |
| | ASSS | Leonard et al., "Activation and Active Site Occupation Alter Conformation in the Region of the First Epidermal Growth Factor-like Domain of Human Factor VII," J. Biol. Chem. 2000, 275(45):34894-34900 | | | |
| | ATTT | Mayer, "Ultra-early hemostatic therapy for intracerebral hemorrhage," Stroke 2003, 34:224-229 | | | |
| | AUUU | Neuenschwander et al., "Alteration of the substrate and inhibitor specificities of blood coagulation," Biochemistry 1995, 34:8701-8707 | | | |
| | AVVV | Persson et al., "Ca ²⁺ binding to the first epidermal growth factor-like domain of factor VIIa increases amidolytic activity and tissue factor affinity," J. Biol. Chem. 1997, 272(32):19919-19924 | | | |
| | AWWW | factor," FEBS Letters 1997, 413:359-363 | | | |
| | AXXX | Petersen et al., "Binding of Zn ²⁺ to a Ca ²⁺ loop allosterically attenuates the activity of factor VIIa and reduces its affinity for tissue factor," Protein Science 2000, 9:859-866 | | | |
| | AYYY | Petrovan et al., "Role of residue Phe ²²⁵ in the cofactor-mediated, allosteric regulation of the serine protease coagulation factor VIIa," Biochemistry 2000, 39:14457-14463 | | | |
| | AZZZ | Petrovan et al., "Residue Met ¹⁵⁶ contributes to the labile enzyme conformation of coagulation factor VIIa," J. Biol. Chem. 2001, 276(9):6616-6620 | | | |
| | AAAAA | Shobe et al., "Regulation of the catalytic function of coagulation factor VIIa by a conformational linkage of surface residue Glu 154 to the active site," Biochemistry 1999, 38:2745-2751 | | | |
| | ABBBB | Shobe et al., "Macromolecular substrate affinity for the tissue factor-factor VIIa complex is independent of scissile bond docking," J. Biol. Chem. 1999, 274(34):24171-24175 | | | |
| | ACCCC | Sridhara et al., "Activation of a recombinant human factor VII structural analogue alters its affinity of binding to tissue factor," Amer. J. Hemotology 1996, 53:66-71 | | | |
| | ADDDD | Thong et al. "Structure of extracellular tissue factor complexed with factor VIIa inhibited with a | | | |

| Examiner Signature | Date Considered |
|--------------------|-----------------|
| | |